

To the Doctor

The card holder's work may expose him/her to the danger of leptospirosis (either *L. icterohaemorrhagiae* or *L. hardjo*). Early diagnosis and treatment are vital in Weil's disease as jaundice is often absent in the early stages. The illness in *L. hardjo* may also be greatly shortened by appropriate antibiotic treatment. (Your local Public Health Laboratory Service or hospital consultant microbiologist should be able to offer advice and serological testing.)

To the Doctor

The card holder's work may expose him/her to the danger of leptospirosis (either *L. icterohaemorrhagiae* or *L. hardjo*). Early diagnosis and treatment are vital in Weil's disease as jaundice is often absent in the early stages. The illness in *L. hardjo* may also be greatly shortened by appropriate antibiotic treatment. (Your local Public Health Laboratory Service or hospital consultant microbiologist should be able to offer advice and serological testing.)

To the Doctor

The card holder's work may expose him/her to the danger of leptospirosis (either *L. icterohaemorrhagiae* or *L. hardjo*). Early diagnosis and treatment are vital in Weil's disease as jaundice is often absent in the early stages. The illness in *L. hardjo* may also be greatly shortened by appropriate antibiotic treatment. (Your local Public Health Laboratory Service or hospital consultant microbiologist should be able to offer advice and serological testing.)

To the Doctor

The card holder's work may expose him/her to the danger of leptospirosis (either *L. icterohaemorrhagiae* or *L. hardjo*). Early diagnosis and treatment are vital in Weil's disease as jaundice is often absent in the early stages. The illness in *L. hardjo* may also be greatly shortened by appropriate antibiotic treatment. (Your local Public Health Laboratory Service or hospital consultant microbiologist should be able to offer advice and serological testing.)

To the Doctor

The card holder's work may expose him/her to the danger of leptospirosis (either *L. icterohaemorrhagiae* or *L. hardjo*). Early diagnosis and treatment are vital in Weil's disease as jaundice is often absent in the early stages. The illness in *L. hardjo* may also be greatly shortened by appropriate antibiotic treatment. (Your local Public Health Laboratory Service or hospital consultant microbiologist should be able to offer advice and serological testing.)

To the Doctor

The card holder's work may expose him/her to the danger of leptospirosis (either *L. icterohaemorrhagiae* or *L. hardjo*). Early diagnosis and treatment are vital in Weil's disease as jaundice is often absent in the early stages. The illness in *L. hardjo* may also be greatly shortened by appropriate antibiotic treatment. (Your local Public Health Laboratory Service or hospital consultant microbiologist should be able to offer advice and serological testing.)